



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/676,365	09/30/2003	Mark M. Yoshitake	3382-64742	7390

26119 7590 08/29/2007  
KLARQUIST SPARKMAN LLP  
121 S.W. SALMON STREET  
SUITE 1600  
PORTLAND, OR 97204

EXAMINER
----------

ARAQUE JR, GERARDO

ART UNIT	PAPER NUMBER
----------	--------------

3629

MAIL DATE	DELIVERY MODE
-----------	---------------

08/29/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/676,365	<b>Applicant(s)</b> YOSHITAKE ET AL.	
	<b>Examiner</b> Gerardo Araque Jr.	<b>Art Unit</b> 3629	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 30 September 2003.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-19 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>2/7/05</u> .  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### *Specification*

1. The specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

### *Claim Rejections - 35 USC § 102*

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. **Claims 1, 4, 6, 8 – 9, 12, 14, and 16 – 19** are rejected under 35 U.S.C. 102(e) as being anticipated by **Mancisidor et al. (US Patent 6,745,172 B1)**.
4. In regards to **claim 1, Mancisidor** discloses a computer-based method of assisting a user to design a network for a group of computers, the method comprising:  
interactively presenting a sequence of questions to the user relating to characteristics of the group of computers and their environment of use (**Col. 19 Lines 17 – 19**);  
gathering input data of the user's responses to the questions (**Col. 19 lines 17 – 19**);

evaluating the input data to determine a prioritized set of network solutions suitable for the group of computers and their environment out of a set of possible network solutions, the set of possible network solutions including at least one hybrid solution employing more than one networking topology type (**Col. 4 Lines 5 – 9; Col. 31 Lines 57 – 62**);

presenting one or more of the prioritized set of network solutions for selection by the user (**Col. 4 Lines 5 – 9; Col. 10 Lines 12 – 17**); and

in response to the user's selection of a network solution, providing a presentation of a set of network products for constructing a network of the group of computers according to the user-selected network solution (**Col. 7 Lines 12 – 21; Claim 3**).

5. In regards to **claim 4**, **Mancisidor** discloses further comprising:

dynamically generating a shopping list of the network products needed for construction of the network according the user-selected network solution, and not characterized in the user's responses as already part of the computers (**Col. 4 Lines 25 – 28; Col. 6 Lines 20 – 38; Col. 12 Lines 38 – 48**).

6. In regards to **claims 6 and 14**, **Mancisidor** discloses wherein the set of possible network solutions comprises wireless, Ethernet, phone-line, and power-line network topologies, as well as hybrid combinations of these network topologies, and wherein evaluating the input data comprises (**Col. 24 Lines 18 – 21**):

heuristically identifying the set of suitable network solutions out of the set of possible network solutions based on at least a layout pattern of the computers in

separate locations in the environment, connection media availability at the locations, and computer type (**Col. 22 – 24 Lines 5 – 28**).

7. In regards to **claim 8, Mancisidor** discloses a computer-based method of assisting a user to design a network for a group of computers, the method comprising:

interactively presenting a sequence of questions to the user relating to characteristics of the group of computers and their environment of use (**Col. 19 Lines 17 – 19**);

gathering input data of the user's responses to the questions, the input data comprising at least locations of the computers in the environment, availability of connection media at the respective locations, and type of the computers being desktop or mobile varieties (**Col. 19 Lines 17 – 19; Col. 12 Lines 12 – 14**);

evaluating the input data to determine a prioritized set of network solutions suitable for the group of computers and their environment out of a set of possible network solutions, the evaluating comprising heuristically identifying the set of suitable network solutions out of the set of possible network solutions based on at least a layout of the computers in separate locations in the environment, connection media availability at the locations, and computer type (**Col. 4 Lines 5 – 9; Col. 31 Lines 57 – 62; Col. 12 Lines 12 – 14**);

presenting one or more of the prioritized set of network solutions for selection by the user (**Col. 4 Lines 5 – 9; Col. 10 Lines 12 – 17**); and

in response to the user's selection of a network solution, providing a presentation of a set of network products for constructing a network of the group of computers according to the user-selected network solution (**Col. 7 Lines 12 – 21; Claim 3**).

8. In regards to **claim 9, Mancisidor** discloses a computer-readable program carrying medium having a software program of an interactive network guide carried thereon for assisting a user to design a network for a group of computers, the software program comprising:

programming code for interactively presenting a sequence of questions to the user relating to characteristics of the group of computers and their environment of use (**Col. 19 Lines 17 – 19**);

programming code for gathering input data of the user's responses to the questions (**Col. 19 lines 17 – 19**);

programming code for evaluating the input data to determine a prioritized set of network solutions suitable for the group of computers and their environment out of a set of possible network solutions, the set of possible network solutions including at least one hybrid solution employing more than one networking topology type (**Col. 4 Lines 5 – 9; Col. 31 Lines 57 – 62**);

programming code for presenting one or more of the prioritized set of network solutions for selection by the user (**Col. 4 Lines 5 – 9; Col. 10 Lines 12 – 17**); and

programming code for providing in response to the user's selection of a network solution, a presentation of a set of network products for constructing a network of the

Art Unit: 3629

group of computers according to the user-selected network solution (**Col. 7 Lines 12 – 21; Claim 3**).

9. In regards to **claim 12**, **Mancisidor** discloses further comprising:

programming code for dynamically generating a shopping list of the network products needed for construction of the network according the user-selected network solution, and not characterized in the user's responses as already part of the computers (**Col. 4 Lines 25 – 28; Col. 6 Lines 20 – 38; Col. 12 Lines 38 – 48**).

10. In regards to **claim 16**, **Mancisidor** discloses a computer-based interactive network guide system for assisting a user to design a network for a group of computers, the system comprising:

a display device (**Fig. 2 290 - 293**);

a processor for executing programming of an interactive network guide (**Fig. 2 290 - 293, 230 – 231**); and

a memory for storing the interactive network guide programming, the programming comprising (**Fig. 2 290 - 293, 230 – 231**):

a questions/data collection user interface component for interactively presenting a sequence of questions to the user relating to characteristics of the group of computers and their environment of use on the display device, and collecting input data of the user's responses to the questions, the input data comprising at least locations of the computers in the environment, availability of connection media at the respective locations, and type of the computers being desktop or mobile varieties (**Fig. 2 290 - 293, 230 – 231**);

an options generator component for evaluating the input data to determine a prioritized set of network solutions suitable for the group of computers and their environment out of a set of possible network solutions, the evaluating comprising heuristically identifying the set of suitable network solutions out of the set of possible network solutions based on at least a layout of the computers in separate locations in the environment, connection media availability at the locations, and computer type (**Fig. 2 290 – 293, 230 – 231**);

an options display/selection component for presenting one or more of the prioritized set of network solutions on the display device for selection by the user, and receiving the user's selection of a network solution from the prioritized set (**Fig. 2 290 – 293, 230 – 231**); and

a network solution output generator for providing, in response to the user's selection of a network solution, a presentation of a set of network products for constructing a network of the group of computers according to the user-selected network solution (**Fig. 2 290 – 293, 230 – 231**).

11. In regards to **claim 17, Mancisidor** discloses wherein the network solution output generator comprises a network diagram generator, a shopping list generator and a setup instructions generator for dynamically generating a network diagram, a shopping list of the network products and setup instructions for constructing the network, respectively (**Fig. 2 290 – 293, 230 – 231**).
12. In regards to **claim 18, Mancisidor** discloses wherein:



the questions/data collection user interface component presents in the sequence of questions a query prompting entry of a custom name for each computer in the group and identifiers of their respective locations in the environment of use, and collects the input data including the custom names of the computers in the group and identifiers of their respective locations (**Fig. 2 290 – 293, 230 – 231**);

the network diagram generator dynamically generates a network diagram graphically depicting the user-selected network solution, including depicting each of the computers in the group, their respective locations and the network products, including identifying each of the computer in the group and their respective locations on the network diagram by their respective custom name and identifiers, respectively (**Fig. 2 290 – 293, 230 – 231**);

the setup instructions generator dynamically generates setup instructions describing a set of steps to construct the network according to the user-selected network solution, including identifying each of the computer in the group and their respective locations in the setup instructions by their respective custom name and identifiers, respectively (**Fig. 2 290 – 293, 230 – 231**).

13. In regards to **claim 19, Mancisidor** discloses wherein the network diagram generator and shopping list generator dynamically generate the network diagram and shopping list, respectively, to include identifiers correlating the depiction of the network products in the network diagram with respective item listings in the shopping list (**Fig. 2 290 – 293, 230 – 231**).

***Claim Rejections - 35 USC § 103***

14. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

15. **Claims 2 – 3, 5, 7, 10 – 11, 13, and 15** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Mancisidor et al. (US Patent 6,745,172 B1)**.

16. In regards to **claims 2 and 10**, **Mancisidor** discloses further comprising:

gathering the input data of the locations of the computers in the group (**Col. 19 Lines 17 – 19; Col. 12 Lines 12 – 14**);

dynamically generating a network diagram graphically depicting the user-selected network solution, including depicting each of the computers in the group, their respective locations and the network products (**Fig. 19 – 26; Col. 15 Lines 6 – 16**); and identifying each of the computer in the group and their respective locations on the network diagram (**Fig. 19 – 26**).

**Mancisidor** discloses that each node is a representation of each connection made in the network, such as a computer. Furthermore, **Mancisidor**, discloses that new questions can be added to the GUI in order to better serve the user's needs. However, **Mancisidor** fails to disclose:

presenting in the sequence of questions a query prompting entry of a custom name for each computer in the group and identifiers of their respective locations in the environment of use.

However, the Examiner asserts that it is old and well known to label components of a construction project in a manner that can easily be understood by the user who will be conducting the construction. That is to say, it would have been obvious to provide additional questions, as disclosed by **Mancisidor**, in order to allow a user to label the nodes in a manner that would allow a user to better understand a particular configuration, in order to avoid making a mistake, such as switching components around. This is especially important when trying to determine which of the computers will be the host computer, for example.

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify **Mancisidor** to present a sequence of questions for prompting entry of a custom name for a computer and identifiers indicating the location of the computer in order to prevent any mistakes, such as switching components around, when constructing the network.

17. In regards to **claims 3 and 11**, **Mancisidor** discloses further comprising:

gathering the input data of the locations of the computers in the group (**Col. 19 Lines 17 – 19; Col. 12 Lines 12 – 14**);

dynamically generating setup instructions describing a set of steps to construct the network according to the user-selected network solution (**Fig. 19 – 26; Col. 15 Lines 6 – 16, 41 – 44; Col. 19 Lines 35 – 37**); and

identifying each of the computer in the group and their respective locations on the network diagram (**Fig. 19 – 26**).

**Mancisidor** discloses that each node is a representation of each connection made in the network, such as a computer. Furthermore, **Mancisidor**, discloses that new questions can be added to the GUI in order to better serve the user's needs. However, **Mancisidor** fails to disclose:

presenting in the sequence of questions a query prompting entry of a custom name for each computer in the group and identifiers of their respective locations in the environment of use.

However, the Examiner asserts that it is old and well known to label components of a construction project in a manner that can easily be understood by the user who will be conducting the construction. That is to say, it would have been obvious to provide additional questions, as disclosed by **Mancisidor**, in order to allow a user to label the nodes in a manner that would allow a user to better understand a particular configuration, in order to avoid making a mistake, such as switching components around. This is especially important when trying to determine which of the computers will be the host computer, for example.

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify **Mancisidor** to present a sequence of questions for prompting entry of a custom name for a computer and identifiers indicating the location of the computer in order to prevent any mistakes, such as switching components around, when constructing the network.

18. In regards to **claims 5 and 13**, **Mancisidor** fails to explicitly disclose wherein evaluating the input data comprises:

heuristically identifying a primary computer out of the group of computers based on the input data characterizing each computer's current internet connection type, operating system, and computer type.

However, it would have been obviously included that when configuring a network of computers that the connection type, operating system, and computer type must be providing in order to properly recommend the appropriate products and/or services, determining whether the identified host computer meets the minimum requirements, and avoid any compatibility issues (**See for example Col. 12 Lines 5 – 26; Col. 31 – 32 Lines 67 – 22**).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify **Mancisidor** to identify the primary computer based on the internet connection type, operating system, and computer type in order to ensure that the primary computer meets the minimum requirements as well as avoiding any compatibility issues with the other computers of the network.

19. In regards to **claims 7 and 15**, **Mancisidor** fails to explicitly wherein evaluating the input data comprises:

heuristically determining whether a hardware gateway is suitable for the group of computers; and

wherein the heuristically identifying the set of suitable network solutions is further based on the determination whether a hardware gateway is suitable

However, **Mancisidor** does disclose a method and system that calculates the location and connection of all available nodes and provides several configurations for a

user to choose from (**See Figs. 19 – 26; Col. 12 Lines 5 – 26 [regarding compatibility issues]**). As a result, it would have been obvious that if the network of computer were connecting to the Internet the system would determine/calculate whether a network hub or router would be used to connect the network of computers to the Internet in order to complete the construction of the network.

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention for **Mancisidor** to determine whether a hardware gateway is suitable for the group of computers and that the network solution is based on the determination whether a hardware gateway is suitable in the event that the network of computers were connecting to the Internet, for example.

### ***Conclusion***


20. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure can be found in the PTO-892 Notice of References Cited.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gerardo Araque Jr. whose telephone number is (571)272-3747. The examiner can normally be reached on Monday - Friday 8:30AM - 4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Weiss can be reached on (571) 272-6812. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

GA  
8/27/07

  
DEANT. NGUYEN  
PRIMARY EXAMINER

8/28/07